REGULAR MEETING AGENDA



City of Black Hawk City Council 211 Church Street, Black Hawk, CO

April 22, 2020 3:00 p.m.

The City of Black Hawk is hosting Virtual City Council meetings in Zoom in response to the Coronavirus COVID-19 until further notice. There are no physical meetings at this time.

Join from a PC, Mac, iPad, iPhone, or Android device: Please click this URL to join: https://zoom.us/j/92889100099

Or join by phone:

888-475-4499 (Toll-Free)

Webinar ID: 928 8910 0099
International numbers available: https://zoom.us/u/aekAkAaLfF

Phone commands using your phone's dial pad while in a Zoom meeting:

*6 – Toggle mute/unmute
*9 – Raise your hand to make a public comment or to speak for or against a Public Hearing matter

Public Comment:

If you wish to make a public comment during the meeting, please go to:

https://www.cityofblackhawk.org/comment_signup

and provide your Name, Email address, and Telephone.

During the Public comment section of the meeting, the host will
go in order of sign up to ask for comments from those who have signed up

- 1. CALL TO ORDER:
- 2. ROLL CALL & PLEDGE OF ALLEGIANCE:
- 3. AGENDA CHANGES:
- 4. CONFLICTS OF INTEREST: (Council disclosures are on file w/City Clerk & Sec. of State)
- 5. PUBLIC COMMENT: Please limit comments to 5 minutes
- 6. APPROVAL OF MINUTES: April 8, 2020
- 7. PUBLIC HEARINGS:
 - A. CB10, An Ordinance Approving the Church Ditch/Farmers High Line Augmentation Station Lease Agreement Between the City of Black Hawk and the City of Arvada
 - B. CB11, An Ordinance Approving the Water Storage Agreement Between the City of Black Hawk and the City of Golden

MISSION STATEMENT

- 8. ACTION ITEMS:
 - A. Resolution 36-2020, A Resolution Approving the Agreement for the Fabrication of the Green Lake Intake Structure with Elgin Separations Solutions in a Total Amount Not to Exceed \$41,100.00
- 9. CITY MANAGER REPORTS:
- 10. CITY ATTORNEY:
- 11. EXECUTIVE SESSION:
- 12. ADJOURNMENT:



City of Black Hawk City Council

April 8, 2020

MEETING MINUTES

1. CALL TO ORDER: The regular meeting of the City Council was called to order on

Wednesday, April 8, 2020, at 3:00 p.m. by Mayor Spellman.

2. ROLL CALL: Physically Present: Mayor Spellman

Virtually Present: Aldermen Armbright, Bennett, Johnson, Midcap,

Moates, and Torres.

Virtual/Present Staff: City Attorney Hoffmann, City Manager Cole, Police Chief Lloyd,

Finance Director Hillis, City Clerk/Administrative Services Director Greiner, Public Works Director Isbester, Senior Civil Engineer Reed, Community Planning & Development Director Linker, IT Manager

Muhammad, and Deputy City Clerk Martin.

PLEDGE OF

ALLEGIANCE: Mayor Spellman led the meeting in the recitation of the Pledge of

Allegiance.

3. AGENDA CHANGES: Deputy City Clerk Martin confirmed that Resolution 35-2020 had been

added to the agenda.

4. CONFLICTS OF

INTEREST: City Attorney Hoffmann asked Council to declare any Conflicts of

Interest on any issue appearing on the agenda this afternoon other than those previous disclosures and conflicts that have already been disclosed and are on file with the City Clerk and Secretary of State. No

conflicts were noted from City Council.

City Attorney Hoffmann asked the virtual and present audience if there

were any objections to any member of Council voting on any issue on

the agenda this afternoon. Both audiences had no objections.

5. PUBLIC COMMENT: Deputy City Clerk Martin confirmed no one had signed up to speak.

6. APPROVAL OF

MINUTES: March 25, 2020

MOTION TO APPROVE

Alderman Johnson MOVED and was SECONDED by Alderman

Torres to approve the Minutes as presented.

MOTION PASSED There was no discussion and the motion PASSED by a roll call vote of

6-0.

7. SWEARING IN OF INCUMBENTS:

Judge Carlson swore in the Aldermen incumbents: Paul Bennett, Greg Moates, and Benito Torres. Deputy Clerk Martin called on each to accept their oath of office. All agreed by saying, I do. Judge Carlson then sore in Mayor Spellman, and again Deputy City Clerk Martin called on the Mayor to accept his oath of office, and he said: I do.

Alderman Moates took a moment to say thank you to Ameristar's management and staff for lighting up the hotel tower with room lights in the shape of a multi-story heart. He said it is not only beautiful but also uplifting during this incredibly trying and catastrophic time. He thanked them for their compassion and the amazing sense of community that they have inspired. He went on to say, because of people such as Ameristar's management and staff, we will go forward from this emergency, ready to face our new future, together.

8. PUBLIC HEARINGS:

None

9. ACTION ITEMS:

A. Resolution 30-2020, A Resolution Reappointing Ronald W. Carlson to be the City of Black Hawk Municipal Court Judge

Mayor Spellman read the title to reappoint Judge Carlson.

There was no discussion.

MOTION TO APPROVE

Alderman Bennett **MOVED** and was **SECONDED** by Alderman Midcap to approve Resolution 30-2020, a Resolution reappointing Ronald W. Carlson to be the City of Black Hawk Municipal Court Judge.

MOTION PASSED There was no discussion and the motion PASSED by a roll call vote of

6-0.

B. Resolution 31-2020, A Resolution Reappointing Thad Renaud to be the City of Black Hawk Assistant Municipal Court Judge.

Mayor Spellman read the title to reappoint Assistant Judge Renaud.

There was no discussion.

MOTION TO APPROVE

Alderman Armbright **MOVED** and was **SECONDED** by Alderman Johnson to approve Resolution 31-2020, a Resolution Reappointing Thad Renaud to be the City of Black Hawk Assistant Municipal Court Judge.

MOTION PASSED

There was no discussion and the motion **PASSED** by a roll call vote of 6-0.

C. Resolution 32-2020, A Resolution Appointing a New Member to the City of Black Hawk Historic Preservation Commission.

Mayor Spellman read the title to appoint a new member to the Historic Preservation Commission.

There was no discussion.

MOTION TO APPROVE

Alderman Torres **MOVED** and was **SECONDED** by Alderman Moates to approve Resolution 32-2020, a Resolution appointing a new member to the City of Black Hawk Historic Preservation Commission.

MOTION PASSED

There was no discussion and the motion **PASSED** by a roll call vote of 6-0.

D. Resolution 33-2020, A Resolution Awarding the Bid and Approving the Design-Build Contract Between the City of Black Hawk and Roche Constructors, Inc. in an Amount Not To Exceed \$12,650.00 for Pre-Construction Services Pertaining to the Police Station 2nd Floor Renovation Project

Mayor Spellman read the title.

Senior Civil Engineer Reed introduced this item. He explained that two upstairs bathrooms in the Police Department were previously converted into locker rooms, but since locker rooms are now available at the EOC building on Miners Mesa, these locker rooms will now be converted back into two smaller bathrooms, additional storage space, and a larger evidence room. He said four proposals were received, and Roche Constructors was the best and lowest proposal. He said this was a

design-build contract, so this is the cost for the design only, and that Roche will prepare a Guaranteed Maximum Price for construction of the project, at which time he will then come back before Council for that approval.

MOTION TO APPROVE

Alderman Midcap **MOVED** and was **SECONDED** by Alderman Armbright to approve Resolution 33-2020, a Resolution awarding the Bid and approving the Design-Build Contract between the City of Black Hawk and Roche Constructors, Inc. in an amount not to exceed \$12,650.00 for pre-construction services pertaining to the Police Station 2nd floor renovation project.

MOTION PASSED

There was no discussion and the motion **PASSED** by a roll call vote of 6-0.

E. Resolution 34-2020, A Resolution Awarding the Bid and Approving the Contract Between the City of Black Hawk and High Country Conservation, LLC in an Amount Not To Exceed \$260,436.80 to Construct the Maryland Mountain Trail System Project

Mayor Spellman read the title.

Senior Civil Engineer Reed Matt explained this was for the entire trail system. He said they received in four proposals; two were from general contractors without much trail building experience, so they were eliminated first, and the other quoted a price of \$550,000, so they decided on High Country Conservation who has a lot of trail experience, but in the Appalachians not in the Rockies. He said to mitigate that risk, the City will have its trail designer on-site regularly. He said they plan to be out here around May 1 and live in tents on-site; they expect to complete the project by the end of the year.

MOTION TO APPROVE

Alderman Torres **MOVED** and was **SECONDED** by Alderman Bennett to approve Resolution 34-2020, a Resolution awarding the Bid and approving the contract between the City of Black Hawk and High Country Conservation, LLC in an amount not to exceed \$260,436.80 to construct the Maryland Mountain Trail System Project.

MOTION PASSED

There was no discussion and the motion **PASSED** by a roll call vote of 6-0.

F. Resolution 35-2020, A Resolution Forgiving Certain Device Taxes for the Month of April 2020, Payable in May 2020 and Deferring Certain Water Fees

Mayor Spellman read the title.

Mayor Spellman thought it was important enough to read the whole resolution. In the end, he reiterated that this demonstrates how responsible and reliable the City is to the casino industry and that we do not squander our money away on senseless lawsuits.

MOTION TO APPROVE

Alderman Johnson **MOVED** and was **SECONDED** by Alderman Moates to approve Resolution 35-2020, a Resolution forgiving certain Device Taxes for the month of April 2020, payable in May 2020 and deferring certain water fees.

MOTION PASSED

There was no discussion and the motion **PASSED** by a roll call vote of 6-0.

10. CITY MANAGER REPORTS:

City Manager Cole had nothing to report.

11. CITY ATTORNEY: City Attorney Hoffmann had nothing to report.

12. EXECUTIVE SESSION:

City Attorney Hoffmann recommended item numbers 2 and 5 only for Executive Session, and the specific legal issues related to the pending litigation filed by Central City against Black Hawk and others.

MOTION TO ADJOURN INTO EXECUTIVE SESSION

Alderman Bennett **MOVED** and was **SECONDED** by Alderman Johnson to adjourn into Executive Session at 3:32 p.m. to hold a conference with the City's attorney to receive legal advice on specific legal questions, pursuant to C.R.S. § 24-6-402(4)(b) and to determine positions relative to matters that may be subject to negotiations, develop a strategy for negotiations, and/or instruct negotiators, pursuant to C.R.S. § 24-6-402(4)(e).

MOTION PASSED

There was no discussion and the motion **PASSED** by a roll call vote of 6-0.

MOTION TO ADJOURN

Alderman Bennett **MOVED** and was **SECONDED** by Alderman Moates to adjourn the Executive Session at 4:25 p.m.

MOTION PASSED	There was no discussion, and the motion PASSED unanimously.
13. ADJOURNMENT:	Mayor Spellman declared the Regular Meeting of the City Council closed at 4:25 p.m.
Melissa A. Greiner, CMC City Clerk	David D. Spellman Mayor

COUNCIL BILL 10 ORDINANCE 2020-10 AN ORDINANCE **APPROVING THE CHURCH** DITCH/FARMERS HIGH LINE AUGMENTATION STATION LEASE AGREEMENT BETWEEN THE CITY OF BLACK HAWK AND THE CITY OF ARVADA

STATE OF COLORADO COUNTY OF GILPIN CITY OF BLACK HAWK

COUNCIL BILL NUMBER: CB10

ORDINANCE NUMBER: 2020-10

TITLE: AN ORDINANCE APPROVING THE CHURCH DITCH/FARMERS HIGH LINE AUGMENTATION STATION LEASE AGREEMENT BETWEEN THE CITY OF BLACK HAWK AND THE CITY OF ARVADA

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF BLACK HAWK, GILPIN COUNTY:

Section 1. The City of Black Hawk hereby approves the Church Ditch/Farmers High Line Augmentation Station Lease Agreement between the City of Black Hawk and the City of Arvada, as more particularly described in **Exhibit A**, attached hereto and incorporated herein by this reference, and authorizes the Mayor to execute the same on behalf of the City of Black Hawk.

<u>Section 2.</u> <u>Safety Clause</u>. The City Council hereby finds, determines, and declares that this Ordinance is promulgated under the general police power of the City of Black Hawk, that it is promulgated for the health, safety, and welfare of the public, and that this Ordinance is necessary for the preservation of health and safety and for the protection of public convenience and welfare. The City Council further determines that the Ordinance bears a rational relation to the proper legislative object sought to be attained.

<u>Section 3.</u> <u>Severability.</u> If any clause, sentence, paragraph, or part of this Ordinance or the application thereof to any person or circumstances shall for any reason be adjudged by a court of competent jurisdiction invalid, such judgment shall not affect application to other persons or circumstances.

<u>Section 4.</u> <u>Effective Date</u>. The City Clerk is directed to post the Ordinance as required by the Charter. This Ordinance shall become effective upon posting by the City Clerk.

READ, PASSED AND ORDERED POSTED this 22nd day of April, 2020.

ATTEST:	David D. Spellman, Mayor
Melissa A. Greiner, CMC, City Clerk	



CITY OF BLACK HAWK

REQUEST FOR COUNCIL ACTION

SUBJECT: Approve Council Bill 10, an Ordinance approving the Church Ditch / Farmers High Line Augmentation Station Lease Agreement between the City of Black Hawk, CO and the City of Arvada, CO (Parties).

RECOMMENDATION: If City Council chooses to approve Council Bill 10, an Ordinance approving the Church Ditch / Farmers High Line Augmentation Station Lease Agreement between the City of Black Hawk and the City of Arvada, the recommended motion is as follows: "Approve Council Bill 10, an Ordinance approving the Church Ditch / Farmers High Line Augmentation Station Lease Agreement between the City of Black Hawk and the City of Arvada."

SUMMARY AND BACKGROUND OF SUBJECT MATTER:

A number of Black Hawk's water right decrees require us to make return flows to Ralston Creek. The City currently has no way to make those return flows except through a lease of wastewater effluent with the City of Westminster at an annual cost of approximately \$1,800. The City of Arvada owns an augmentation station on the Farmer High Line Canal (FHL) that returns water to Ralston Creek which Black Hawk will use to make our return flows. The City of Black Hawk owns an augmentation station on the Church Ditch that returns water to Clear Creek which Arvada will use to make their return flows. The Lease Agreement allows both Cities to use the other's augmentation stations for return flows as required by each Party's decrees. There is no cost associated with this Agreement and will eliminate the need to lease water from Westminster.

FUNDING SOURCE:	N/A			
WORKSHOP DATE:	April 22, 2020			
ORIGINATED BY:	James Ford			
STAFF PERSON RESPONSIBLE:	James Ford			
DOCUMENTS ATTACHED:	Church Ditch / Farmers High Line Augmentation Station Lease Agreement			
CITY ATTORNEY REVIEW: []Yes	[]No []N/A INITIALS			
SUBMITTED BY:	REVIEWED BY:			
Show Make	Styphen N. Col			
Thomas Ishester Public Works Director	Stenhen Cole, City Manager			

AGREEMENT

This AGREEMENT ("Agreement") is made and entered into this _____ day of ______, 2020, by and between the **City of Black Hawk** (hereinafter, "Black Hawk"), a municipal corporation organized under the laws of the State of Colorado, whose address is 987 Miners Mesa Road, Black Hawk, Colorado, 80422, and the **City of Arvada** (hereinafter, "Arvada"), a Colorado municipal corporation, whose address is 8101 Ralston Road, Arvada, Colorado 80002. Black Hawk and Arvada may sometimes be referred to herein collectively as "Parties."

RECITALS

- A. Black Hawk owns and operates the Black Hawk Church Ditch Augmentation Station ("Church Ditch Augmentation Station"), located in Section 32 of T3S, R70W of the 6th P.M, in Jefferson County, Colorado.
- B. The Church Ditch diverts approximately 5,710.64 inches of water from Clear Creek under numerous priorities for its inchholders.
- C. As decreed in Case No. 2017CW3210, Arvada is entitled to use 80.0 inches of Church Ditch deliveries for municipal and other purposes, which at times may be subject to certain turnback provisions to Clear Creek. The 80.0 inches represent 1.40% of the Church Ditch total in-priority diversion flow rate.
- D. Arvada desires to utilize the Church Ditch Augmentation Station to divert, measure, and then return to Clear Creek Arvada's deliveries associated with 80.0 inches of Church Ditch for the purpose of meeting its decreed turnback requirements when required.
- E. Black Hawk agrees to allow Arvada to utilize the Church Ditch Augmentation Station when there is available capacity to return the farm headgate deliveries associated with 80.0 inches of Church Ditch water back to Clear Creek, or for any other decreed purpose.
- F. Arvada owns and operates the Farmers High Line Canal Ralston Creek Augmentation Station (FHL Augmentation Station), where the ditch crosses Ralston Creek in the SW1/4 of Section 1, T3S, R70W of the 6th P.M., in Jefferson County, Colorado.
- G. Black Hawk is entitled to use 1.15 shares of FHL water deliveries for municipal and other purposes pursuant to the decree in Case No. 12CW303.
- H. At certain times Black Hawk desires to utilize the FHL Augmentation Station to replace historical return flows owed to Ralston Creek as required by its decree.
- I. Arvada agrees to allow Black Hawk to utilize the FHL Augmentation Station when there is available capacity for making return flows attributed to its FHL shares to Ralston Creek and for any other authorized decreed purpose.

AGREEMENT

Now, therefore, in consideration of the foregoing recitals, and mutual covenants and agreements herein, and for other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, the Parties agree as follows:

- 1. Upon notice to Black Hawk by Arvada and if there is sufficient unused capacity, Black Hawk agrees to allow Arvada to utilize the Church Ditch Augmentation Station to return to Clear Creek the amount of water associated with 80.0 inches of farm headgate deliveries (total river headgate minus assessed ditch loss) during the period from April 1st through October 31st whenever the Church Ditch is diverting and delivering water to inchholders. The delivery amount associated with the 80.0 inches will vary depending on the total amount of water being diverted at the Clear Creek river headgate by the Church Ditch. Arvada will contact the Church Ditch to arrange to have the 80.0 inches delivered through this augmentation station.
- 2. Upon notice to Arvada by Black Hawk and if there is sufficient unused capacity, Arvada agrees to allow Black Hawk to utilize the FHL Augmentation Station to deliver water to Ralston Creek from March 20th through November 10th whenever the FHL is diverting and delivering water to shareholders. Black Hawk will contact the FHL to arrange to have their share water delivered through this augmentation station.
- 3. If Black Hawk is the only entity utilizing the FHL Augmentation Station it will be able to retrieve its daily diversions for accounting purposes from the Colorado Division of Water Resources website. If the information is not available from the website or the FHL Augmentation Station is being utilized by multiple entities, Arvada will report the daily amount of water attributed to Black Hawk via email.
- 4. If Arvada is the only entity utilizing the Church Ditch Augmentation Station it will be able to retrieve its daily diversions from the Water Commissioner's weekly report. If the information is not available from the water commissioner or the Church Ditch Augmentation Station is being utilized by multiple entities, Black Hawk will report the daily amount of water attributed to Arvada via email.
- 5. Arvada may deliver more than 80.0 inches of Church Ditch water through the Church Ditch Augmentation Station as long as there is available unused capacity. Black Hawk is not restricted in the number of shares it can deliver through the FHL Augmentation Station as long as there is available unused capacity.
- 6. Black Hawk is not responsible for reporting the amount of water returned to Clear Creek on behalf of Arvada to the Water Commissioner or the Division Engineer.
- 7. Arvada is not responsible for reporting the amount of water delivered to Ralston Creek on behalf of Black Hawk to the Water Commissioner or the Division Engineer.
- 8. <u>Operation.</u> Arvada shall contact Black Hawk and inform them of the total number of inches they are requesting to be delivered through the Augmentation Station for their farm headgate turnback requirement. Black Hawk will notify Arvada if space is available for Arvada's requested turnback requirement within 24-hours. Arvada

cannot request a change in the number of inches to be delivered through the Augmentation Station more than once per week during the Church Ditch delivery season.

- 9. <u>Cost.</u> There shall be no charge assessed to either Black Hawk or Arvada for the operation of the Church Ditch Augmentation Station or the FHL Augmentation Station owned by the other Party pursuant to this Agreement.
- 10. <u>Term of Agreement</u>. The term of the Agreement will be in effect for as long as the augmentation stations are functional, subject to the right of either Party to terminate this agreement with 60 days' written notice.
- 11. <u>Accounting</u>. Each Party is responsible for submitting the accounting for their respective diversions herein to the Division Engineer's Office.
- 12. <u>Notices</u>. All notices and other communications under this Agreement shall be in writing. All such notices and communications shall be deemed to have been duly given on the date of service, if delivered and served personally, or served via e-mail or facsimile on the person to whom notice is given; on the next business day after deposit for overnight delivery by a courier service such as Federal Express; or on the third day after mailing, if mailed to the Party is to be given by first class mail, postage prepaid, and properly addressed as follows:

Black Hawk: City of Black Hawk

Public Works Director 987 Miners Mesa Road

P.O. Box 68

Black Hawk, CO 80422

(303) 582-1324

Email: tisbester@cityofblackhawk.org

With a Copy to: David Kueter, Water Attorney

Holsinger Law, LLC

1800 Glenarm Place, Suite 500

Denver, CO 80202 (720) 330-8253

Email: dkueter@holsingerlaw.com

Arvada: City of Arvada

Director of Utilities 8101 Ralston Road Arvada, CO 80002 (720) 898-7761

Email: sisrael@arvada.org

13. <u>No Third Party Beneficiaries</u>. This Agreement is for the sole benefit of and binds the Parties, their successors and assigns. This Agreement affords no claim, benefit, or right of action to any third party.

- 14. <u>Governmental Immunity</u>. Nothing in this Agreement shall be construed to waive either Party's protection from liability or the limitations on liability due to sovereign immunity under the Colorado Governmental Immunity Act or otherwise.
- 15. <u>Governing Law</u>. This Agreement shall be governed by and construed in accordance with the laws of the State of Colorado.
- 16. <u>Negotiated Provisions</u>. This Agreement shall not be construed more strictly against one Party than against the other merely by virtue of the fact that it may have been prepared by counsel for one of the Parties, it being recognized that both Black Hawk and the City of Arvada have contributed substantially and materially to the preparation of this Agreement.
- 17. <u>Authority</u>. The Parties warrant that they have taken all actions necessary or required by their own procedures, bylaws, or applicable law, to authorize their respective signatories to sign this Agreement for them and to bind them to its terms.
- 18. <u>Assignment</u>. Neither Party may assign its rights or delegate its duties under this Agreement without prior written consent of the other Party.

Executed as of the date first set forth above.	
City of Black Hawk	Approved as to content and form;
David D. Spellman, Mayor	Corey Hoffmann, Attorney
City of Arvada	Approved as to content and form;
Marc Williams, Mayor	Rachel A. Morris, City Attorney

COUNCIL BILL 11 ORDINANCE 2020-11 AN ORDINANCE APPROVING THE WATER STORAGE AGREEMENT BETWEEN THE CITY OF BLACK HAWK AND THE CITY OF GOLDEN

STATE OF COLORADO COUNTY OF GILPIN CITY OF BLACK HAWK

COUNCIL BILL NUMBER: CB11

ORDINANCE NUMBER: 2020-11

TITLE: AN ORDINANCE APPROVING THE WATER STORAGE AGREEMENT BETWEEN THE CITY OF BLACK HAWK AND THE CITY OF GOLDEN

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF BLACK HAWK, GILPIN COUNTY:

- <u>Section 1.</u> The City of Black Hawk hereby approves the Water Storage Agreement between the City of Black Hawk and the City of Golden, as more particularly described in **Exhibit A**, attached hereto and incorporated herein by this reference, and authorizes the Mayor to execute the same on behalf of the City of Black Hawk.
- <u>Section 2.</u> <u>Safety Clause.</u> The City Council hereby finds, determines, and declares that this Ordinance is promulgated under the general police power of the City of Black Hawk, that it is promulgated for the health, safety, and welfare of the public, and that this Ordinance is necessary for the preservation of health and safety and for the protection of public convenience and welfare. The City Council further determines that the Ordinance bears a rational relation to the proper legislative object sought to be attained.
- <u>Section 3.</u> <u>Severability.</u> If any clause, sentence, paragraph, or part of this Ordinance or the application thereof to any person or circumstances shall for any reason be adjudged by a court of competent jurisdiction invalid, such judgment shall not affect application to other persons or circumstances.
- <u>Section 4.</u> <u>Effective Date.</u> The City Clerk is directed to post the Ordinance as required by the Charter. This Ordinance shall become effective upon posting by the City Clerk.

READ, PASSED AND ORDERED POSTED this 22nd day of April, 2020.

ATTEST:	David D. Spellman, Mayor
ATTEST.	
Melissa A. Greiner, CMC, City Clerk	



CITY OF BLACK HAWK

REQUEST FOR COUNCIL ACTION

SUBJECT: Approve Council Bill 11, an Ordinance approving the Water Storage Agreement with the City of Golden.

RECOMMENDATION: If City Council chooses to approve Council Bill 11, an Ordinance approving the Water Storage Agreement with the City of Golden, the recommended motion is as follows: "Approve Council Bill 11, an Ordinance approving the Water Storage Agreement between the City of Black Hawk and the City of Golden."

SUMMARY AND BACKGROUND OF SUBJECT MATTER:

The City of Golden is required to deliver 100 acre feet of water to the City of Black Hawk each year. This water is typically provided from the Vidler Tunnel, which is trans-basin water that can be used to extinction without return flow requirements. In some years, the City of Black Hawk takes delivery of the Vidler water into Green Lake or Georgetown Lake. Because of the wet spring, enough storage space in these reservoirs is not available. As in past years, the City of Golden has agreed to store portions of our Vidler water in Guanella Reservoir until we can exchange it to Green Lake or Georgetown Lake. The cost of the storage is 50% of the water put into Guanella Reservoir. For example, if we store 50 acre feet in Guanella, we keep 25 acre feet and Golden gets 25 acre feet. There is no monetary cost to the City. The alternative is to let the water flow down stream and make no use of it. This agreement has been in effect since 2015 and needs to be renewed for 2020.

Thomas Ishester Public Works Director	Stenhen Cole City Manager			
SUBMITTED BY:	Styrhen M. Col			
CITY ATTORNEY REVIEW: []Yes				
DOCUMENTS ATTACHED:	Water Storage Agreement			
PROJECT COMPLETION DATE:	June 15, 2021			
STAFF PERSON RESPONSIBLE:	James Ford			
ORIGINATED BY:	James Ford			
WORKSHOP DATE:	April 22, 2020			
FUNDING SOURCE:	N/A			

WATER STORAGE AGREEMENT

	This AGREEMENT dated this	Day of	2020 is entered into	between the City of
Golden	, a Colorado municipal corporation ('	'Golden") and the	City of Black Hawk,	a Colorado municipal
corpora	tion ("Black Hawk").			

Recitals

WHEREAS C.R,S. §29-1-201, as amended, authorizes the Parties to cooperate and contract with one another with respect to functions lawfully authorized to each of the Parties and the people of the State of Colorado have encouraged such cooperation and contracting through the adoption of Colorado Constitution, Article XIV, §18(2); and

WHEREAS, the purpose of Part 2 of Article 1 of Title 29, C.R.S., is to implement the aforesaid provisions of the Colorado Constitution and authorize the Parties to enter into intergovernmental agreements; and

WHEREAS, C.R.S. § 29-1-203(1) provides, inter alia, that governmental units may cooperate with one another to provide any function, service, or facility lawfully authorized to each of the contracting units;

WHEREAS, Black Hawk and Golden entered into an Assignment and Water Delivery Agreement dated June 7, 2007, pursuant to which Black Hawk is entitled to delivery from Golden of 100 acre-feet of fully consumable water between June 1, 2020 and October 31, 2020 (the "2020 Golden delivery"); and

WHEREAS, Golden owns and controls a reservoir known as Guanella Reservoir, an off-channel reservoir located adjacent to the West Fork of Clear Creek in Sections 29 and 30, Township 3 South, Range 74 West of the 6th P.M., in Clear Creek County, Colorado; and

WHEREAS, this Agreement is intended to authorize Black Hawk to store up to 100 acre-feet of the 2020 Golden delivery in Guanella Reservoir subject to the limitations herein; and

NOW THEREFORE, in consideration of the mutual promises and covenants herein contained, and for other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, the parties hereto agree as follows.

- 1. Black Hawk shall be entitled to store up to 100 acre-feet of the 2020 Golden delivery in Guanella Reservoir. Depending on the source of the water delivered by Golden to Black Hawk, such storage may be by diversion of water into storage from the West Fork of Clear Creek, by exchange from Clear Creek, and/or by book-over of Golden's water previously stored in Guanella Reservoir.
- 2. Any water stored by Black Hawk in Guanella Reservoir pursuant to this Agreement shall be owned by Black Hawk and Golden on a 50%/50% basis.
- 3. Black Hawk will be charged pro rata with evaporation loss on its stored water at the same rate as applied to other waters stored in Guanella Reservoir, which will reduce Black Hawk's storage account under this Agreement.
- 4. Any water stored by Black Hawk in Guanella Reservoir during 2020 under this Agreement after evaporation loss is assessed and owned by Black Hawk, shall be removed from storage on or

before June 15, 2021. Black Hawk will coordinate with Golden on the timing and rate of release it desires for such water in a manner consistent with Golden's operations of Guanella Reservoir. Any water owned by Black Hawk pursuant to this agreement and remaining in storage in Guanella after June 15, 2021 may be released by Golden or may be booked over into Golden's storage accounts.

- 5. Golden and Black Hawk shall provide each other with all necessary accounting information relating to water stored by Black Hawk hereunder and, to the extent necessary, shall provide said information to the Division Engineer and/or Water Commissioner. To the extent any approvals are necessary in implementing this Agreement, those shall be Black Hawk's exclusive responsibility.
- 6. The term of this Agreement shall be from the date of execution through June 15, 2021 This Agreement may be renewed annually upon mutual written agreement of the Parties.
- 7. Black Hawk acknowledges that this Agreement provides for storage of raw water only. Neither party makes representations with respect to the quality of water diverted into or stored in Guanella Reservoir, or released therefrom, nor assumes responsibility therefor.
- 8. Nothing herein modifies any of the obligations of Golden and Black Hawk as set forth in the Assignment and Water Delivery Agreement dated June 7, 2007, except as may be expressly modified herein by allowing storage of up to 100 AF of the 2020 Golden delivery in Guanella Reservoir and the subsequent release of a portion thereof.
- 9. Notice: Any required notice, demand, or conveyance of information shall be sent via U.S. mail, email, or fax, or telephone call and subsequent mailing or fax to:

Golden:

Utilities Director City of Golden 911 Tenth Street Golden, CO 80401

Fax: 303.384.8161

With copy to:

Glenn E. Porzak Porzak Browning & Bushong LLP 929 Pearl Street, Suite 300 Boulder, CO 80302

Fax: 303.443.6864

Black Hawk:

Director of Public Works City of Black Hawk P.O. Box 68 987 Miners Mesa Road Black Hawk, CO 80422

Fax: 303.582.2250

With copy to:

David L. Kueter Holsinger Law, LLC

18000 Glenarm Place, Suite 500

Denver, CO 80202 Fax: 303.496.1025

The above individuals and addresses may be modified at any time by written notice.

10. <u>Entire Agreement; Amendments</u>. This Agreement constitutes the entire agreement among the parties. This Agreement may be altered, amended or revoked only by an instrument in writing signed by both parties.

- 11. <u>Assignment</u>. This Agreement, and the rights, interests and obligations hereunder, may not be assigned by Black Hawk without Golden's prior written consent.
- 12. <u>Indemnification</u>. To the extent permitted by law, Black Hawk agrees to indemnify, defend and hold harmless Golden and its agents from and against all claims, causes of action, costs, expenses, judgments, damages and any other liabilities of any kind arising out of this Agreement and/or arising out of Black Hawk's storage and subsequent use of water in Guanella Reservoir pursuant to this Agreement.
- 13. <u>Counterparts</u>. This Agreement may be executed in counterparts, each of which shall constitute an original and all of which, when taken together, shall constitute one agreement.

IN WITNESS WHEREOF the parties hereto each herewith subscribe the same in triplicate.

	CITY	Y OF BLACK HAWK	
	By:		
		David D. Spellman, Mayor	
ATTEST:			
Melissa A. Greiner, City Clerk		_	
	CITY	Y OF GOLDEN	
	By:		
		Jason Slowinski, City Manager	
ATTEST:			
Monica Mendoza, City Clerk		_	
STATE OF COLORADO) ss.			
COUNTY OF JEFFERSON)			
		ed before me this day of	
My commission expires:			
Witness my hand and official seal.			
		Notary Public	

RESOLUTION 36-2020 A RESOLUTION APPROVING THE AGREEMENT FOR THE **FABRICATION OF THE** GREEN LAKE INTAKE STRUCTURE WITH ELGIN **SEPARATIONS** SOLUTIONS IN A TOTAL **AMOUNT NOT TO EXCEED \$41,100.00**

STATE OF COLORADO COUNTY OF GILPIN CITY OF BLACK HAWK

Resolution No. 36-2020

TITLE: A RESOLUTION APPROVING THE AGREEMENT FOR THE FABRICATION OF THE GREEN LAKE INTAKE STRUCTURE WITH ELGIN SEPARATIONS SOLUTIONS IN A TOTAL AMOUNT NOT TO EXCEED \$41,100.00

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF BLACK HAWK, COLORADO, THAT:

Section 1. The City Council hereby approves the Agreement for the Fabrication of the Green Lake Intake Structure with Elgin Separations Solutions in a total amount not to exceed \$41,100.00, and authorizes the Mayor or the City Manager to execute the necessary documents on behalf of the City.

RESOLVED AND PASSED this 22nd day of April, 2020.

	David D. Spellman, Mayor
ATTEST:	

CITY OF BLACK HAWK



REQUEST FOR COUNCIL ACTION

SUBJECT: Approve Resolution 36-2020, a Resolution approving the Fabrication of the Green Lake Intake Structure with Elgin Separations Solutions.

RECOMMENDATION: If City Council chooses to approve Resolution 36-2020, a Resolution approving the Fabrication of the Green Lake Intake Structure with Elgin Separations Solutions, the recommended motion is as follows: "Approve Resolution 36-2020, a Resolution approving the agreement for the Fabrication of the Green Lake Intake Structure with Elgin Separations Solutions in a total amount not to exceed \$41,100.00."

SUMMARY AND BACKGROUND OF SUBJECT MATTER:

Thomas Isbester, Public Works Director

Green Lake is jointly owned by The City of Black Hawk and Clear Creek County in which the City's share of the reservoir storage is 63% and the County's share is 37%. The inflow pipeline was replaced over six phases from 2010 through 2016. The Intake project is the last portion of infrastructure that diverts water from Leavenworth Creek to the Lake. The Intake Structure is a long lead item that requires fabrication. The installation of the Intake Structure will be bid separately in June after the Vidler water delivery. Staff will bring that contract to City Council for approval at that time. Black Hawk will administer the contracts. Clear Creek County will reimburse the City for their share of the project. The for this portion of the project, the City's share will be \$25,877.78 and the County's share will be \$15,222.22. Therefore, staff recommends award of the fabrication to Elgin Separation Solutions.

Show Share	Styphen N. Coli
SUBMITTED BY:	REVIEWED BY:
CITY ATTORNEY REVIEW: []Y	es []No []N/A INITIALS
DOCUMENTS ATTACHED:	Elgin Separation Solutions Bid
STAFF PERSON RESPONSIBLE:	James Ford
ORIGINATED BY:	James Ford
WORKSHOP DATE:	April 22, 2020
FUNDING SOURCE:	501-3151-4607429 Green lake Pipeline

Stephen Cole, City Manager

CITY OF BLACK HAWK GREEN LAKE INTAKE STRUCTURE

TO:	City of Black Hawk, Colorado 987 Miners Mesa Road Black Hawk, Colorado 80422				
PROJEC					
Contract	tor: Elgin Separation Solution /	Norris Screen 8	k Mfg.		
Receipt	of Addendum Nos. 0 ar	e hereby acknow	ledged.		
	PROPOSAL: Pursuant to the "Invitation with all contractual requirements there labor, materials, tools, supplies, equipmecessary for the completion of the Contract requirements and intent of the Contract requirements and intent of the Contract and intent of the Con	pment, plant, to ntractual Work, Documents within	ransportation and perform to the time of	hereby propos services, and he Work in acc	es to furnish all all other things ordance with the
Item No.	Description	Quantity	Unit	Unit Price	Extension (\$)
1	Intake Structure	1	L.S.	\$38,600	\$38,600
	ŅATIVE BID ITEM 1 – INTAKE ST	RUCTURE WI	TH RHINO	LINER	
Item No.	Description	Quantity	Unit	Unit Price (\$)	Extension (\$)
2	Intake Structure with Rhino Liner Tough Grip	1	L.S.	\$43,600	\$43,600
ALTER	NATIVE BID ITEM 2 – STAINLESS	COUNTRIES TOUTE A	VE STOTICT	TIDE	
Item No.	Description	Quantity	Unit	Unit Price	Extension (\$)
3	Stainless Steel Intake Structure	1	L.S.	\$41,100	\$41,100
	r BASE BID – Item 1 eight thousand, six hundred dollars (W	ords - Lump Sun	1)		
\$ 38,60	00				
Earle (conscious superiorente)	(Nur	nerals - Lump Su	ım)	CONTRACTOR AND	
Green La	ke Intake B	P-1			Bid Proposal

Total for ALTERNATIVE BID ITEM 1 -INTAKE STRUCTURE WITH RHINO LINER

Forty three thousand, six hundred dollars

(Words - Lump Sum)

\$ 43,600

(Numerals - Lump Sum)

Total for ALTERNATIVE BID ITEM 2 - STAINLESS STEEL INTAKE STRUCTURE

Forty one thousand, one hundred dollars

(Words - Lump Sum)

\$ 41,100

(Numerals - Lump Sum)

B. <u>TIME FOR COMPLETION</u>: If awarded this Work, the Bidder agrees to begin work within ten (10) days from the date of the Notice to Proceed and agrees to prosecute the Work with all due diligence and effort to assure completion as set forth in the Special Construction Provisions set forth in the Contract Documents.

Time for completion is an essential element of this Contract.

Furthermore, the Bidder agrees that failure to complete the Contract within the time proposed, including any extension thereof, shall be considered a breach of the Contract, and entitles the Owner to liquidated damages of rights of severance as specified.

C. <u>PARTIES INTEREST IN BID</u>: The Bidder hereby certifies that the only persons or parties interested in this Proposal are those named herein, and that no other Bidder or prospective Bidder has been given any information concerning this Proposal.

In submitting this Proposal, it is understood that the right is reserved by the Owner to reject any or all Proposals, and to waive informalities and irregularities in Proposals received, and to accept that Proposal which in its judgment best serves the interest of the Owner.

27 of 30

FIRM NAME Elgin Separation Solutions / Norris Screen & Mfg.
BY_Tim Lilly Time Left TITLE President
BIDDER'S LEGAL STATUS Limited Liability Corp.
STATE OF INCORPORATION Virginia
BIDDER'S ADDRESS 21405 Governor GC Peery Hwy, Tazewell, VA 24651
PHONE 276.385.1171
ATTEST: Tanuny Cibson
ATTEST: Tanuny Cibon Corporation Secretary

The state of the s

(SEAL)

28 of 30



Elgin Separation Solutions / Norris Screen & Mfg 21405 Gov G C Peery Hwy Tazewell, VA 24651

Quote #:	1584-1
Date:	4/3/2020
Contact:	Chad Barber - 614.524.4588 (Elgin)
Phone:	Scott Marshall - 303.601.5215 (MISCOwater)
Attn:	City of Black Hawk, CO Jim Ford jford@cityofblackhawk.org

Intoka Caraan		40.050		
Intake Screen		\$9,650	1	\$9,650
Intake Capacity	10 ft3/s using customized version of A1.0 profile*			
	To the second se			
Material	304 stainless steel			
	ot be fully predicted with tilted weir shape, but capacity is based on a level weir			
		\$35,800	1	\$35,800
The state of the s				
Overall Size	116 in long x 42.375 in deep x 87.25 in tall			
Outlet				
Fastening	Structure to be embedded into concrete at site, and partially filled with concrete			
Material	ASTM A36 steel with primer and epoxy coating			
Intake Structure - Alt	ernate 1	\$40.800	1	\$40,800
		Ψ10,000		Φ-10,000
100				
Material	ASTM A36 steel with primer Rhino Linings Tuff Grip			

		\$38,300	1	\$38,300
	경제 연구성 하다 마리아 프라이어, 가장은 중요하셨다고 하게 되었다면서 됐다고 있는 것이 되었다.			
	The state of the s			
Material				
Service Control of the Control of th	from footons in Towns all MA to inheite in Disability to CO	\$2,800	1	\$2,800
Shipment of screens	s from factory in Tazewell, VA to jobsite in Black Hawk, CO			
the same of the sa				
	* Intake capacity cann condition Intake Structure	Overall Size 10 ft weir - 4 ft of straight weir / 2 x 3 ft weirs on small miter angle Screen Details 0.09 in wide wedge wire / 1 mm slot openings / 7° tilt Head Loss 28.25 in of drop from crest to toe of screen Collection chamber span of 31,625 in Structural Loading Fastening 316 stainless steel fasteners provided to fasten to intake structure Material 304 stainless steel * Intake capacity cannot be fully predicted with tilted weir shape, but capacity is based on a level weir condition Intake Structure Description Intake structure according to 1584-605-2P Overall Size 116 in long x 42.375 in deep x 87.25 in tall Outlet Ø20 in pipe stub as shown on drawings Fastening Structure to be embedded into concrete at site, and partially filled with concrete Material ASTM A36 steel with primer and epoxy coating Intake Structure - Alternate 1 Description Intake structure according to 1584-605-2P Overall Size 116 in long x 42.375 in deep x 87.25 in tall Outlet Ø20 in pipe stub as shown on drawings Fastening Structure to be embedded into concrete at site, and partially filled with concrete Material ASTM A36 steel with primer Rhino Linings Tuff Grip Intake Structure - Alternate 2 Description Intake structure according to 1584-605-2P Overall Size 116 in long x 42.375 in deep x 87.25 in tall Outlet Ø20 in pipe stub as shown on drawings Fastening Intake Structure - Alternate 2 Description Intake structure according to 1584-605-2P Overall Size 116 in long x 42.375 in deep x 87.25 in tall Outlet Ø20 in pipe stub as shown on drawings Fastening Structure to be embedded into concrete at site, and partially filled with concrete Material Structure to be embedded into concrete at site, and partially filled with concrete Material Structure to be embedded into concrete at site, and partially filled with concrete Material Structure to be embedded into concrete at site, and partially filled with concrete Material Structure to be embedded into concrete at site, and partially filled with concrete Material	Intake Capacity Overall Size Overall Size Overall Size Overall Size Overal Details Overal Details Head Loss Screen Details Head Loss Span Collection chamber span of 31.625 in Structural Loading Fastening Alterial Structure Loading Fastening Material *Intake capacity cannot be fully predicted with tilted weir shape, but capacity is based on a level weir condition Intake Structure Description Overall Size Outlet ASTM A36 steel with primer and epoxy coating Intake Structure - Alternate Outlet Outlet Outlet Cap In in long x 42.375 in deep x 87.25 in tall Outlet Ou	Intake Capacity 10 ft3/s using customized version of A1.0 profile* Overall Size 10 ft weir - 4 ft of straight weir / 2 x 3 ft weirs on small miter angle Screen Details - 0.09 in wide wedge wire / 1 mm slot openings / 7° tilt Head Loss 28.25 in of drop from crest to toe of screen Collection chamber span of 31.625 in Structural Loading Can withstand roughly 1 m of water in fully clogged condition Fastening 316 stainless steel fasteners provided to fasten to intake structure Material 304 stainless steel fasteners provided to fasten to intake structure *Intake capacity cannot be fully predicted with tilted weir shape, but capacity is based on a level weir condition Intake Structure Description Intake structure according to 1584-605-2P Overall Size 116 in long x 42.375 in deep x 87.25 in tall Outlet 2020 in pipe stub as shown on drawings Fastening Structure according to 1584-605-2P Overall Size 116 in long x 42.375 in deep x 87.25 in tall Outlet 2020 in pipe stub as shown on drawings Fastening Structure according to 1584-605-2P Overall Size 116 in long x 42.375 in deep x 87.25 in tall Outlet 2020 in pipe stub as shown on drawings Fastening Structure to be embedded into concrete at site, and partially filled with concrete ASTM A36 steel with primer Rhino Linings Tuff Grip Intake Structure - Alternate 2 Description Intake structure according to 1584-605-2P Overall Size 116 in long x 42.375 in deep x 87.25 in tall Outlet 2020 in pipe stub as shown on drawings Fastening Structure to be embedded into concrete at site, and partially filled with concrete Intake Structure - Alternate 2 Description Intake structure according to 1584-605-2P Overall Size 116 in long x 42.375 in deep x 87.25 in tall Outlet 2020 in pipe stub as shown on drawings Fastening Structure to be embedded into concrete at site, and partially filled with concrete Material 304 stainless steel

Freight: FOB Factory - Tazewell, VA (prepaid freight available - will add to invoice) - estimated above Lead time: 6 weeks from design approval for screen equipment

Payment terms: 100% due at shipment (net 30 from invoice); pricing valid 60 days

Thank you for the opportunity to submit this pricing quotation. An integral part this proposal are the attached Elgin Terms and Conditions. Any additional terms, different terms, or other amendments to the terms and conditions contained herein are rejected unless expressly agreed to in writing by Elgin.



PURCHASE ORDER

City of Black Hawk Public Works Department

987 Miners Mesa Road • P.O. Box 68 Black Hawk, CO 80422 (303) 582-1324

P.O. No.:	20-005
-----------	--------

Date: April 22, 2020

Vendor: Elgin Separation Solutions

21405 Governor GC Peery Highway

Tazewell, VA 24651

Ship To: James Ford

City of Black Hawk Water Department Hidden Valley Water Treatment Plant

2189 East Idaho Springs Road Idaho Springs, CO 80452

Requested By: James Ford, Water Manager

Project: Green Lake Intake Structure

Quantity	Item No. and Description	Unit Cost	Extended Cost
1	Stainless Steel Intake Structure	\$41,100	\$41,100.00
		Total:	\$41,100.00

Authorized By		
•	Stephen N. Cole, City Manager	